



全盛電機企業股份有限公司

Chuang Shen Electric Machine, PTY LTD.

Automatic Shaving Compactor / Shredder



Call

+886-4-23597825



Website

<https://datongpm.com/index.html>



Location

No.1, Gougyequ 36th Rd.,
Xitun Dist., Taichung City, Taiwan



Email

chuang.shen@msa.hinet.net

Automatic Shaving Compactor

Shavings automatically molded in 30 seconds
| Space-saving × Increased recycling value

- ✓ Continuous discharge processing with uninterrupted extrusion
- ✓ Complete recovery and reuse of cutting fluid
- ✓ Reduce shaving chip volume by over 80%
- ✓ Finished product sizes available: 70 / 100 / 130 mm




40 / 80T Automatic Shaving Compactor

Vertical compression design
Compact footprint with powerful pressing force



Efficient mixing and feeding


High-torque motor mixing
Stable feeding operation



Compatible with various materials

Compatible with stainless steel, iron, aluminum, magnesium alloy, and grinding powder

Automatic Shaving Shredder



- ✓ High efficiency blades
- ✓ Single / Dual Motors
- ✓ Different hp available 1 / 5 / 7.5hp




Dual Motors Shredder

Shavings Conveyor


Shavings Conveyor (to compactor)

Finished Products Conveyor

40T Compactor



Product Dimension Diagram



Model	A	B	C	D	E	F	G	H	I	J
CS-40V	800	1880	530	270	880	1400	1190	610	260	650
CS-80V	850	1930	530	270	950	1460	1200	610	260	650

Product Specifications Table

Model	Motor hp	Pump Pressure	Hydraulic Cylinder Pressure
CS-40V	5hp / 4p	21Mpa	200kg/cm
CS-80V	7.5hp / 4p	21Mpa	200kg/cm

Model	Single-shaft motor for aluminum material	Single-shaft motor for iron material	Dual Motors
Motor hp	1hp	5hp	5hp
Gear Reducer Motor	1hp	5hp	7.5hp